

RECORDERS REPORT PARKS AND LEISURE

INCOME

DATE: 5/31/88

RESOURCES	87/88 BUDGET ESTIMATE	JUNE 88 YEAR TO DATE RECEIPTS	BALANCE OF BUDGET
AUCTION/SPEC EVENTS	\$.00	\$4,431.81	(\$4,431.81)
SWIM FEES	\$6,000.00	\$7,577.30	(\$1,577.30)
SWIM LESSONS	\$900.00	\$3,704.26	(\$2,804.26)
RENT	\$2,500.00	\$2,341.18	\$158.82
DONATIONS	\$3,300.00	\$3,220.91	\$79.09
PLAYGROUND	\$.00		\$.00
GRANT	\$.00		\$.00
MISC		11.30	\$.00
TOTAL RESOURCES	\$12,700.00	\$21,256.76	(\$9,126.76)

There is still about 3100.00 in outstanding bills for the pool which for some reason have not been turned in. I feel that they should be accrued into the payables for June . It does not give an accurate picture if the billings do not come in untill after July 1st. That makes us borrow on the 88/89 budget in 87/88 and therefore that money won't be there for the followi year.

EXPENSES

EXPENSES	87/88 BUDGET ESTIMATE	MONTHLY YEAR TO DATE EXPENSES	BALANCE BALANCE OF BUDGET
POOL PERSONNEL	\$7,500.00	\$4,263.18	\$3,236.82
TAXES & BENEFITS	\$500.00	\$770.89	(\$270.89)
TOTAL PERSONAL SERVICES	\$8,000.00	\$5,034.07	\$2,965.93
TRAINING	\$.00	\$.00	\$.00
SUPPLIES	\$3,000.00	\$539.93	\$2,460.07
TELEPHONE & ADVERTISING	\$500.00	\$760.19	(\$260.19)
POOL MAINTENANCE	\$900.00	\$1,729.86	(\$829.86)
IRRIGATION	\$.00	\$.00	\$.00
PARK SUPPLIES	\$300.00	\$315.18	(\$15.18)
MISCELLANEOUS	0.00	180.02	112.96
TOTAL MATERIALS/SERVICES	4700.00	3525.28	1174.82
TOTAL EXPENDITURES	12700.00	8559.35	5116.56

STATE OF OREGON MONTHLY CIGARETTE TAX DISTRIBUTION
 APPORTIONMENT OF NET REVENUES AS PER ORS 323.455
 50% TO COUNTIES / 50% TO CITIES - FOR THE MONTH ENDING 01/31/88
 POPULATION DETERMINED BY THE CENTER FOR POPULATION RESEARCH

		POPULATION	POPULATION PERCENT	AMOUNT	TRAN. NUMBER
01-10	CITY OF BAKER	9,325	.5719	2,906.94	767123
01-12	CITY OF GREENHORN	3	.0002	.94	767124
01-15	CITY OF HAINES	395	.0242	123.14	767125
01-20	CITY OF HALFWAY	375	.0230	116.90	767126
01-25	CITY OF HUNTINGTON	530	.0325	165.22	767127
01-30	CITY OF RICHLAND	210	.0129	65.46	767128
01-35	CITY OF SUMPTER	155	.0095	48.32	767129
01-40	CITY OF UNITY	110	.0067	34.29	767130
02-05	CITY OF ADAIR VILLAGE	530	.0325	165.22	767131
02-10	CITY OF CORVALLIS	41,800	2.5637	13,030.58	767132
02-15	CITY OF MONROE	460	.0282	143.40	767133
02-20	CITY OF PHILOMATH	2,675	.1641	833.89	767134
03-10	CITY OF BARLOW	110	.0067	34.29	767135
03-15	CITY OF CANBY	8,070	.4949	2,515.71	767136
03-20	CITY OF ESTACADA	1,960	.1202	611.00	767137
03-25	CITY OF GLADSTONE	9,680	.5937	3,017.61	767138
03-27	CITY OF HAPPY VALLEY	1,505	.0923	469.16	767139
03-28	CITY OF JOHNSON CITY	380	.0233	118.46	767140
03-30	CITY OF LAKE OSWEGO	26,985	1.6550	8,412.20	767141
03-35	CITY OF MILWAUKIE	18,435	1.1307	5,746.86	767142
03-40	CITY OF MOLALLA	3,215	.1972	1,002.23	767143
03-45	CITY OF OREGON CITY	14,770	.9059	4,604.34	767144
03-50	CITY OF RIVERGROVE	315	.0193	98.20	767145
03-55	CITY OF SANDY	3,630	.2226	1,131.60	767146
03-60	CITY OF WEST LINN	13,660	.8378	4,258.32	767147
03-65	CITY OF WILSONVILLE	4,285	.2628	1,335.79	767148
04-10	CITY OF ASTORIA	10,090	.6188	3,145.42	767149
04-15	CITY OF CANNON BEACH	1,255	.0770	391.23	767150
04-20	CITY OF GEARHART	1,090	.0669	339.79	767151
04-25	CITY OF HAMMOND	560	.0343	174.57	767152
04-30	CITY OF SEASIDE	5,600	.3435	1,745.72	767153
04-35	CITY OF WARRENTON	2,525	.1549	787.13	767154
05-10	CITY OF CLATSKANIE	1,745	.1070	543.98	767155
05-15	CITY OF COLUMBIA CITY	815	.0500	254.07	767156
05-20	CITY OF PRESCOTT	65	.0040	20.26	767157
05-25	CITY OF RAINIER	1,615	.0991	503.45	767158
05-30	CITY OF ST HELENS	7,505	.4603	2,339.58	767159
05-35	CITY OF SCAPPOOSE	3,445	.2113	1,073.93	767160
05-40	CITY OF VERNONIA	1,740	.1067	542.42	767161
06-10	CITY OF BANDON	2,465	.1512	768.43	767162
06-15	CITY OF COOS BAY	14,290	.8764	4,454.71	767163
06-20	CITY OF COQUILLE	3,980	.2441	1,240.71	767164
06-26	CITY OF LAKESIDE	1,425	.0874	444.22	767165
06-35	CITY OF MYRTLE POINT	2,585	.1585	805.84	767166
06-40	CITY OF NORTH BEND	8,755	.5370	2,729.25	767167
06-45	CITY OF POWERS	745	.0457	232.24	767168
07-10	CITY OF PRINEVILLE	5,445	.3340	1,697.40	767169
08-10	CITY OF BROOKINGS	3,615	.2217	1,126.93	767170
08-15	CITY OF GOLD BEACH	1,585	.0972	494.10	767171
08-20	CITY OF PORT ORFORD	1,020	.0626	317.97	767172
09-10	CITY OF BEND	18,700	1.1469	5,829.47	767173
09-15	CITY OF REDMOND	6,850	.4201	2,135.39	767174
09-20	CITY OF SISTERS	745	.0457	232.24	767175
10-10	CITY OF CANYONVILLE	1,345	.0825	419.29	767176
10-15	CITY OF DRAIN	1,085	.0665	338.23	767177
10-20	CITY OF ELKTON	165	.0101	51.44	767178
10-25	CITY OF GLENDALE	790	.0485	246.27	767179
10-30	CITY OF MYRTLE CREEK	3,235	.1984	1,008.47	767180
10-35	CITY OF OAKLAND	860	.0527	268.09	767181
10-40	CITY OF REEDSPORT	4,960	.3042	1,546.21	767182
10-45	CITY OF RIDDLE	1,135	.0696	353.82	767183
10-50	CITY OF ROSEBURG	15,930	.9770	4,965.96	767184
10-55	CITY OF SUTHERLIN	4,370	.2680	1,362.29	767185
10-60	CITY OF WINSTON	3,505	.2150	1,092.64	767186
10-65	CITY OF YONCALLA	800	.0491	249.39	767187
11-10	CITY OF ARLINGTON	425	.0261	132.49	767188
11-15	CITY OF CONDON	715	.0439	222.89	767189
11-20	CITY OF LONEROCK	25	.0015	7.79	767190
12-10	CITY OF CANYON CITY	675	.0414	210.42	767191
12-15	CITY OF DAYVILLE	220	.0135	68.58	767192
12-20	CITY OF GRANITE	10	.0006	3.12	767193
12-25	CITY OF JOHN DAY	2,155	.1322	671.79	767194
12-30	CITY OF LONG CREEK	265	.0163	82.61	767195
12-35	CITY OF MONUMENT	185	.0113	57.67	767196
12-40	CITY OF MT VERNON	620	.0380	193.28	767197
12-45	CITY OF PRAIRIE CITY	1,195	.0733	372.52	767198
12-60	CITY OF SENECA	290	.0178	90.40	767199
13-10	CITY OF BURNS	2,765	.1696	861.95	767200
13-15	CITY OF HINES	1,445	.0886	450.46	767201
14-10	CITY OF CASCADE LOCKS	830	.0509	258.74	767202
14-15	CITY OF HOOD RIVER	4,520	.2772	1,409.05	767203
15-10	CITY OF ASHLAND	16,010	.9819	4,990.90	767204
15-15	CITY OF BUTTE FALLS	480	.0294	149.63	767205
15-20	CITY OF CENTRAL POINT	7,095	.4351	2,211.77	767206
15-25	CITY OF EAGLE POINT	3,150	.1932	981.97	767207
15-30	CITY OF GOLD HILL	935	.0573	291.47	767208
15-35	CITY OF JACKSONVILLE	2,085	.1279	649.97	767209
15-40	CITY OF MEDFORD	43,875	2.6909	13,677.43	767210
15-45	CITY OF PHOENIX	2,810	.1723	875.98	767211
15-50	CITY OF ROGUE RIVER	1,720	.1055	536.19	767212
15-52	CITY OF SHADY COVE	1,235	.0757	384.99	767213
15-55	CITY OF TALENT	2,850	.1748	888.45	767214
16-10	CITY OF CULVER	505	.0310	157.43	767215
16-15	CITY OF MADRAS	2,235	.1371	696.73	767216
16-20	CITY OF METOLIS	450	.0276	140.28	767217

STATE OF OREGON MONTHLY CIGARETTE TAX DISTRIBUTION
 APPORTIONMENT OF NET REVENUES AS PER ORS 323.455
 50% TO COUNTIES / 50% TO CITIES - FOR THE MONTH ENDING 01/31/88
 POPULATION DETERMINED BY THE CENTER FOR POPULATION RESEARCH

		POPULATION	POPULATION PERCENT	AMOUNT	TRAN. NUMBER
17-10	CITY OF CAVE JUNCTION	1,175	.0721	366.29	767218
17-15	CITY OF GRANTS PASS	16,200	.9936	5,050.13	767219
18-10	CITY OF BONANZA	315	.0193	98.20	767220
18-15	CITY OF CHILOQUIN	750	.0460	233.80	767221
18-20	CITY OF KLAMATH FALLS	17,125	1.0503	5,338.48	767222
18-25	CITY OF MALIN	615	.0377	191.72	767223
18-30	CITY OF MERRILL	830	.0509	258.74	767224
19-10	CITY OF LAKEVIEW	2,790	.1711	869.74	767225
19-15	CITY OF PAISLEY	335	.0205	104.43	767226
20-10	CITY OF COBURG	650	.0399	202.63	767227
20-15	CITY OF COTTAGE GROVE	6,905	.4235	2,152.54	767228
20-20	CITY OF CRESWELL	1,915	.1175	596.97	767229
20-23	CITY OF DUNES CITY	1,180	.0724	367.85	767230
20-25	CITY OF EUGENE	107,485	6.5923	33,506.97	767231
20-30	CITY OF FLORENCE	4,980	.3054	1,552.45	767232
20-35	CITY OF JUNCTION CITY	3,105	.1904	967.94	767233
20-40	CITY OF LOWELL	705	.0432	219.77	767234
20-45	CITY OF OAKRIDGE	3,515	.2156	1,095.75	767235
20-50	CITY OF SPRINGFIELD	40,600	2.4901	12,656.49	767236
20-55	CITY OF VENETA	2,330	.1429	726.35	767237
20-60	CITY OF WESTFIR	285	.0175	88.84	767238
21-05	CITY OF DEPOE BAY	835	.0512	260.30	767239
21-10	CITY OF LINCOLN CITY	6,155	.3775	1,918.74	767240
21-15	CITY OF NEWPORT	8,455	.5186	2,635.73	767241
21-25	CITY OF SILETZ	1,045	.0641	325.76	767242
21-35	CITY OF TOLEDO	3,200	.1963	997.56	767243
21-40	CITY OF WALDPOR	1,610	.0987	501.90	767244
21-50	CITY OF YACHATS	575	.0353	179.25	767245
22-10	CITY OF ALBANY	28,060	1.7210	8,747.32	767246
22-15	CITY OF BROWNSVILLE	1,255	.0770	391.23	767247
22-20	CITY OF HALSEY	665	.0408	207.30	767248
22-25	CITY OF HARRISBURG	1,820	.1116	567.36	767249
22-30	CITY OF LEBANON	10,265	.6296	3,199.97	767250
22-35	CITY OF LYONS	875	.0537	272.77	767251
22-40	CITY OF MILL CITY	1,510	.0926	470.72	767252
22-42	CITY OF MILLERSBURG	550	.0337	171.45	767253
22-45	CITY OF SCIO	575	.0353	179.25	767254
22-50	CITY OF SODAVILLE	190	.0117	59.23	767255
22-55	CITY OF SWEET HOME	6,745	.4137	2,102.66	767256
22-57	CITY OF TANGENT	435	.0267	135.61	767257
22-60	CITY OF WATERLOO	205	.0126	63.91	767258
23-10	CITY OF ADRIAN	150	.0092	46.76	767259
23-15	CITY OF JORDAN VALLEY	360	.0221	112.23	767260
23-20	CITY OF NYSSA	2,760	.1693	860.39	767261
23-25	CITY OF ONTARIO	9,755	.5983	3,040.99	767262
23-30	CITY OF VALE	1,590	.0975	495.66	767263
24-10	CITY OF AUMSVILLE	1,485	.0911	462.93	767264
24-15	CITY OF AURORA	530	.0325	165.22	767265
24-20	CITY OF DETROIT	405	.0248	126.25	767266
24-25	CITY OF DONALD	285	.0175	88.84	767267
24-30	CITY OF GATES	495	.0304	154.31	767268
24-35	CITY OF GERVAIS	840	.0515	261.86	767269
24-40	CITY OF HUBBARD	1,815	.1113	565.80	767270
24-45	CITY OF IDANHA	320	.0196	99.76	767271
24-50	CITY OF JEFFERSON	1,775	.1089	553.33	767272
24-55	CITY OF KEIZER	19,925	1.2220	6,211.34	767273
24-60	CITY OF MT ANGEL	2,955	.1812	921.18	767274
24-65	CITY OF ST PAUL	345	.0212	107.55	767275
24-70	CITY OF SALEM	95,375	5.8495	29,731.85	767276
24-75	CITY OF SCOTTS MILLS	280	.0172	87.29	767277
24-80	CITY OF SILVERTON	5,375	.3297	1,675.58	767278
24-85	CITY OF STAYTON	4,875	.2990	1,519.71	767279
24-90	CITY OF SUBLIMITY	1,585	.0972	494.10	767280
24-95	CITY OF TURNER	1,140	.0699	355.38	767281
24-97	CITY OF WOODBURN	11,990	.7354	3,737.72	767282
25-10	CITY OF BOARDMAN	1,560	.0957	486.31	767283
25-15	CITY OF HEPPNER	1,510	.0926	470.72	767284
25-20	CITY OF IONE	395	.0242	123.14	767285
25-25	CITY OF IRRIGON	865	.0531	269.65	767286
25-30	CITY OF LEXINGTON	260	.0159	81.05	767287
26-10	CITY OF FAIRVIEW	1,910	.1171	595.42	767288
26-15	CITY OF GRESHAM	55,530	3.4058	17,310.71	767289
26-18	CITY OF MAYWOOD PARK	825	.0506	257.18	767290
26-20	CITY OF PORTLAND	419,810	25.7477	130,870.00	767291
26-25	CITY OF TROUTDALE	7,115	.4364	2,218.00	767292
26-30	CITY OF WOODVILLAGE	2,585	.1585	805.84	767293
27-10	CITY OF DALLAS	9,005	.5523	2,807.18	767294
27-15	CITY OF FALLS CITY	860	.0527	268.09	767295
27-20	CITY OF INDEPENDENCE	4,150	.2545	1,293.71	767296
27-30	CITY OF MONMOUTH	5,660	.3471	1,764.43	767297
28-10	CITY OF GRASS VALLEY	165	.0101	51.44	767298
28-15	CITY OF MORO	325	.0199	101.31	767299
28-17	CITY OF RUFUS	345	.0212	107.55	767300
28-20	CITY OF WASCO	445	.0273	138.72	767301
29-10	CITY OF BAY CITY	1,090	.0669	339.79	767302
29-15	CITY OF GARIBALDI	1,045	.0641	325.76	767303
29-20	CITY OF MANZANITA	510	.0313	158.99	767304
29-25	CITY OF NEHALEM	240	.0147	74.82	767305
29-30	CITY OF ROCKAWAY	1,280	.0785	399.02	767306
29-35	CITY OF TILLAMOOK	3,760	.2306	1,172.13	767307
29-40	CITY OF WHEELER	340	.0209	105.99	767308
30-10	CITY OF ADAMS	235	.0144	73.26	767309
30-15	CITY OF ATHENA	945	.0580	294.59	767310
30-20	CITY OF ECHO	615	.0377	191.72	767311
30-25	CITY OF HELIX	155	.0095	48.32	767312

3/03/88

STATE OF OREGON MONTHLY CIGARETTE TAX DISTRIBUTION
 APPORTIONMENT OF NET REVENUES AS PER ORS 323.455
 50% TO COUNTIES / 50% TO CITIES - FOR THE MONTH ENDING 01/31/88
 POPULATION DETERMINED BY THE CENTER FOR POPULATION RESEARCH

PAGE

3

		POPULATION	POPULATION PERCENT	AMOUNT	TRAN. NUMBER
30-30	CITY OF HERMISTON	9,870	.6053	3,076.84	767313
30-35	CITY OF MILTON FREEWATER	5,730	.3514	1,786.25	767314
30-40	CITY OF PENDLETON	14,610	.8961	4,554.47	767315
30-45	CITY OF PILOT ROCK	1,605	.0984	500.34	767316
30-50	CITY OF STANFIELD	1,635	.1003	509.69	767317
30-52	CITY OF UKIAH	180	.0110	56.11	767318
30-55	CITY OF UMATILLA	3,120	.1914	972.62	767319
30-60	CITY OF WESTON	720	.0442	224.45	767320
31-10	CITY OF COVE	510	.0313	158.99	767321
31-15	CITY OF ELGIN	1,675	.1027	522.16	767322
31-20	CITY OF IMBLER	280	.0172	87.29	767323
31-25	CITY OF ISLAND CITY	930	.0570	289.91	767324
31-30	CITY OF LA GRANDE	11,435	.7013	3,564.70	767325
31-35	CITY OF NORTH POWDER	440	.0270	137.16	767326
31-40	CITY OF SUMMERVILLE	155	.0095	48.32	767327
31-45	CITY OF UNION	1,990	.1221	620.36	767328
32-10	CITY OF ENTERPRISE	2,005	.1230	625.03	767329
32-15	CITY OF JOSEPH	1,125	.0690	350.70	767330
32-20	CITY OF LOSTINE	255	.0156	79.49	767331
32-25	CITY OF WALLOWA	815	.0500	254.07	767332
33-10	CITY OF ANTELOPE	105	.0064	32.73	767333
33-15	CITY OF DUFUR	540	.0331	168.34	767334
33-20	CITY OF MAUPIN	465	.0285	144.96	767335
33-25	CITY OF MOSIER	325	.0199	101.31	767336
33-30	CITY OF SHANIKO	25	.0015	7.79	767337
33-35	CITY OF THE DALLES	10,265	.6296	3,199.97	767338
34-10	CITY OF BANKS	500	.0307	155.87	767339
34-15	CITY OF BEAVERTON	36,235	2.2224	11,295.76	767340
34-20	CITY OF CORNELIUS	5,130	.3146	1,599.21	767341
34-23	CITY OF DURHAM	785	.0481	244.71	767342
34-25	CITY OF FOREST GROVE	12,000	.7360	3,740.84	767343
34-30	CITY OF GASTON	560	.0343	174.57	767344
34-35	CITY OF HILLSBORO	31,390	1.9252	9,785.40	767345
34-36	CITY OF KING CITY	2,015	.1236	628.15	767346
34-37	CITY OF NORTH PLAINS	1,025	.0629	319.53	767347
34-40	CITY OF SHERWOOD	2,910	.1785	907.15	767348
34-45	CITY OF TIGARD	23,335	1.4312	7,274.37	767349
34-50	CITY OF TUALATIN	11,690	.7170	3,644.20	767350
35-10	CITY OF FOSSIL	490	.0301	152.75	767351
35-15	CITY OF MITCHELL	185	.0113	57.67	767352
35-20	CITY OF SPRAY	190	.0117	59.23	767353
36-10	CITY OF AMITY	1,050	.0644	327.32	767354
36-15	CITY OF CARLTON	1,285	.0788	400.58	767355
36-20	CITY OF DAYTON	1,470	.0902	458.25	767356
36-25	CITY OF DUNDEE	1,445	.0886	450.46	767357
36-30	CITY OF LA FAYETTE	1,295	.0794	403.70	767358
36-35	CITY OF MC MINNVILLE	15,875	.9736	4,948.81	767359
36-40	CITY OF NEWBERG	11,295	.6927	3,521.06	767360
36-45	CITY OF SHERIDAN	2,470	.1515	769.99	767361
36-50	CITY OF WILLAMINA	1,800	.1104	561.13	767362
36-55	CITY OF YAMHILL	700	.0429	218.22	767363
FINAL TOTALS		1,630,473	100.0000	508,277.52	

IMPORTANT NOTICE ABOUT LEAD AND YOUR DRINKING WATER

This notice is being provided to inform you of the potential adverse health effects of lead, how to determine if you are being exposed to lead in your drinking water, and how to take some simple steps to avoid exposure.

"The United States Environmental Protection Agency (EPA) sets drinking water standards and has determined that lead is a health concern at certain levels of exposure. There is currently a standard of 0.50 parts per million (ppm). Based on new health information, EPA is likely to lower this standard significantly.

"Part of the purpose of this notice is to inform you of the potential adverse health effects of lead. This is being done even though your water may not be in violation of the current standard.

"EPA and others are concerned about lead in drinking water. Too much lead in the human body can cause serious damage to the brain, kidneys, nervous system, and redblood cells. The greatest risk, even with short-term exposure, is to young children and pregnant women.

"Lead levels in your drinking water are likely to be highest:

1. If your home or water system has lead pipes, or
2. If your home has copper pipes with lead solder, and
 - a. if the home is less than five years old, or
 - b. if you have soft or acidic water, or
 - c. if water sits in the pipes for several hours."

How does lead get into drinking water? Lead can be present in drinking water either from the water supply source or because of corrosion of metal pipes used for water mains or home plumbing. In Oregon, routine required testing shows that lead levels in public water supply sources and water mains are either undetectable or much lower than the current allowable standard. However, many public water supplies provide water that is soft or acidic and may be corrosive to metal piping, especially piping used for home plumbing including copper and galvanized iron plumbing. Prior to a ban on lead based solders imposed by the State of Oregon in August, 1984, copper house plumbing was commonly joined using lead based solder. The lead from the solder can enter the water especially during long periods of low or no water use in the home, such as overnight. Galvanized iron plumbing contains a small amount of lead in the galvanized pipe coating which can also enter the water. The State has also required that lead pipes used to connect homes to water mains in some older sections of a few Oregon communities be removed by water suppliers within ten years.



How can you determine if there is lead in your water?

Again, lead levels in Oregon public water supplies at the point of entry to homes, has been shown to be very low by routine testing. However, lead can still enter your water from your own house plumbing. Although you can not see lead in the water, corrosion of house plumbing often creates visible signs such as blue or green stains on white fixtures (due to copper pipes) or red or brown stains or early morning discolored water (galvanized iron pipes). If you notice these stains or regularly see discolored water early in the morning, lead may also be present.

You can determine the type of plumbing used in your home by looking at exposed pipe in a crawlspace or basement. Copper plumbing is copper colored with silver colored soldered joints. Galvanized iron pipes are silver or gray colored joined by fittings with screw threads. Lead levels are likely to be highest after water sits in the pipes for several hours. If your house has copper plumbing installed before the August, 1984 lead solder ban, but less than five years ago, lead levels could be elevated. After five years, lead levels from solder usually decrease.

The only way to be sure of the amount of lead in the household water is to have the water tested by a certified laboratory. A list of Oregon certified labs is available from the State Health Division , your local county health department, or your water supplier.

How can you protect yourself from lead? Fortunately, it is easy too avoid exposure to lead from household water. First, use only cold water for drinking, cooking, beverages, and preparing baby formula - high temperatures in the hot water pies increase the potential for high lead levels. Second, always run the water for at least several minutes after periods of non-use, such as overnight. Third, if you have plumbing work done on your house or do it yourself, be sure that only lead free materials meeting the state plumbing code are used.

**FOR FURTHER INFORMATION,
CONTACT:**

WATER SUPPLIERS NAME _____

CONTACT PERSON _____

PHONE NO. _____

The information above is from the Oregon State Health Division and has been distributed by the
Oregon Association of Water Utilities as a service to our Members.

OREGON ASSOCIATION OF WATER UTILITIES

551 Union N.E. Salem, OR 97301 (503) 364-8269

March 15, 1988

Board of Directors 1987-1988

President
Robert MacRostie
Deschutes Valley Water Dist.

Vice President
Dick Johnson
City of Aurora

Secretary-Treasurer
Beth Myers
Waterlab

Board of Directors

George Bennett
North Hill Water Corp.

Gene Cox
Tillamook Water Commission

Noel Groshong
Umpqua Basin Water Assoc.

Maryanne Hill
Government Camp Water Co.

George LeMont
City of Columbia City

Paul Ramsay
Avion Water Co.

Robert Rice
Cape Meares Water Co-op

Jerry Schmidt
Oregon Water Consultants, Inc.

Gene Smith
Shorewood Estates MHP

Tony Suttora
City of Rogue River


Dear Fellow Water Supplier:

As you know, E.P.A. Rules and the Oregon State Health Division requires you to notify your water users about lead in drinking water.

You must complete the notification
before June 19, 1988!


If you need assistance, please call the O.A.W.U. office in Salem, 364-8269.

Sincerely,


G. Glen Comuntzis, Director
Program & Government Affairs

P.S. Don't Forget! The 10th Annual O.A.W.U. conference & exhibition at Newport on April 6,7,& 8 at the Hotel Newport. For Registration, call our office.

See you at the Beach!!



Dedicated to Safe Water for all Oregonians

SUMMARY OF LEAD PUBLIC NOTICE REGULATIONS:

1. By June 19, 1988, the owner or operator of each community water system shall issue notice to persons served by the system that may be affected by lead contamination of their drinking water. The owner or operator of a public water system which provides water to another community must provide one-time notice by letter to the receiving system. The receiving system, in turn, must provide its customers public notice concerning lead in compliance with the lead public notification requirements.
2. Notice is not required if the system demonstrates to the state that the water system, including the residential and non-residential portions connected to the water system, are lead free.
3. Manner of notice: (a) three consecutive monthly newspaper notices (the first no later than 6-19-88); or (b) once by mail (by 6-19-88); or (c) once by hand delivery (by 6-19-88).
4. The notice shall contain an explanation of the potential sources of lead in drinking water, potential adverse health effects, reasonably available methods of mitigating known or potential lead content in drinking water, and the necessity for seeking alternative supplies, if any. The notice shall also include specific advice on how to determine if materials containing lead have been used in homes or the water distribution system and how to minimize exposure to water likely to contain high levels of lead.
5. When providing the information on potential health effects of lead in drinking water, the owner or operator shall include the mandatory health effects information provided in the Federal Register (Section 141.34(d)) as follows:
 - "The United States Environmental Protection Agency (EPA) sets drinking water standards and has determined that lead is a health concern at certain levels of exposure. There is currently a standard of 0.050 parts per million (ppm). Based on new health information, EPA is likely to lower this standard significantly.
 - "Part of the purpose of this notice is to inform you of the potential adverse health effects of lead. This is being done even though your water may not be in violation of the current standard.
 - "EPA and others are concerned about lead in drinking water. Too much lead in the human body can cause serious damage to the brain, kidneys, nervous system, and red blood cells. The greatest risk, even with short-term exposure, is to young children and pregnant women.
 - "Lead levels in your drinking water are likely to be highest:
 - * if your home or water system has lead pipes, or
 - * if your home has copper pipes with lead solder, and
 - if the home is less than five years old, or
 - if you have soft or acidic water, or
 - if water sits in the pipes for several hours."